

element S by ATOMIC #	symbol	at. #	density (g/cm ³)	elect. cond.	mag. prop.	color	m.p. (°C)	b.p. (°C)	
Hydrogen	H	1	0.09		D	CL	-259	-253	Elect. Cond. key
Helium	He	2	0.18		D	CL	-272	-269	C = elect. Cond.
Lithium	Li	3	0.53	C	P	S	180	1347	NC = non-conductor
Beryllium	Be	4	1.85	C	D	SG	1278	2970	
Boron	B	5	2.34	NC	D	B	2300	2550	C' = less cond. C
Carbon	C	6	2.27	WC	D	B	3500	4827	SC = semiconductor
Nitrogen	N	7	1.25		D	CL	-210	-196	WC = weak cond.
Oxygen	O	8	1.43		P	CL	-218	-183	NC = non-c Elect. Cond. key
Fluorine	F	9	1.79			Y	-220	-188	
Neon	Ne	10	0.9		D	CL	-249	-246	Magnetic property key
Sodium	Na	11	0.97	C	P	S	98	883	key
Magnesium	Mg	12	1.74	C	P	S	639	1090	D = diamagnetic,
Aluminum	Al	13	2.7	C	P	S	660	2467	P = paragnetetic,
Silicon	Si	14	2.33	SC	D	G	1410	2355	D = diamagnetic,
Phosphorus	P	15	1.82	NC	D	W	44	280	F = ferromagnetic.,
Sulfur	S	16	2.07	NC	D	Y	113	445	D = means very
Chlorine	Cl	17	3.21	WC	D	G	-101	-35	weakly repelled by
Argon	Ar	18	1.78		D	CL	-189	-186	a magnetic field,
Potassium	K	19	0.86	C		S	64	774	P means very
Calcium	Ca	20	1.55	C	P	S	839	1484	weakly attracted
Scandium	Sc	21	2.99	C		S	1539	2832	to a magnetic field
Titanium	Ti	22	4.54	C	P	S	1660	3287	but only for F can
Vanadium	V	23	6.11	C		S	1890	3380	the attraction be
Chromium	Cr	24	7.19	C	AF	S	1857	2672	easily observed.
Manganese	Mn	25	7.43	C	P	S	1245	1962	Luster
Iron	Fe	26	7.87	C	F	G	1535	2750	metals are left of
Cobalt	Co	27	8.86	C	F	G	1495	2870	staircase and are
Nickel	Ni	28	8.91	C	F	G	1453	2732	lustrous,
Copper	Cu	29	8.96	C	D	C	1083	2567	non-metals are to
Zinc	Zn	30	7.13	C	D	SG	420	907	the right of the
Gallium	Ga	31	5.91	C	D	S	30	2403	staircase and are
Germanium	Ge	32	5.32	SC	D	G	937	2380	not lustrous
Arsenic	As	33	5.72	C	D	S	81	613	Color Key
Selenium	Se	34	4.79		D	G	217	685	CL = colorless
Bromine	Br	35	3.12	NC	D	R	-7	59	S= silver
Krypton	Kr	36	3.75		D	CL	-157	-153	W = white
Rubidium	Rb	37	1.63	C		S	39	688	Y = yellow
Strontium	Sr	38	2.54	C	P	S	769	1384	B = black
Yttrium	Y	39	4.47	C		S	1523	3337	G = green
Zirconium	Zr	40	6.51	C	P	S	1852	4377	SG = slate grey
Niobium	Nb	41	8.57	C		G	2468	4927	G = grey
Molybdenum	Mo	42	10.22	C	P	G	2612	4612	P = purple
Technetium	Tc	43	11.5	C		S	2200	4877	
Ruthenium	Ru	44	12.37	C	P	S	2250	3900	

Rhodium	Rh	45	12.41	C	P	S	1966	3727
Palladium	Pd	46	12.02	C	P	S	1552	2927
Silver	Ag	47	10.5	C	D	S	962	2212
Cadmium	Cd	48	8.65	C	D	S	321	765
Indium	In	49	7.31	C	D	S	157	2000
Tin	Sn	50	7.31	C	P	S	232	2270
Antimony	Sb	51	6.68	C	D	S	630	1750
Tellurium	Te	52	6.24	WC	D	S	449	990
Iodine	I	53	4.93	C		P	114	284
Xenon	Xe	54	5.9		D	CL	-112	-108
Cesium	Cs	55	1.87	C		S	29	678
Barium	Ba	56	3.59	C	P	S	725	1140
Lanthanum	La	57	6.15	C		S	920	3469
Cerium	Ce	58	6.77	C	P	S	795	3257
Praseodymium	Pr	59	6.77	C		S	935	3127
Neodymium	Nd	60	7.01	C	F	S	1010	3127
Promethium	Pm	61	7.26	C		S	1100	3000
Samarium	Sm	62	7.52	C	P	S	1072	1900
Europium	Eu	63	5.24	C	P	S	822	1597
Gadolinium	Gd	64	7.9	C'	F	S	1311	3233
Terbium	Tb	65	8.23	C	F	S	1360	3041
Dysprosium	Dy	66	8.55	C	F	S	1412	2562
Holmium	Ho	67	8.8	C	F	S	1470	2720
Erbium	Er	68	9.07	C	F	S	1522	2510
Thulium	Tm	69	9.32	C	P	S	1545	1727
Ytterbium	Yb	70	6.96	C		S	824	1466
Lutetium	Lu	71	9.84	C		S	1656	3315
Hafnium	Hf	72	13.31	C		G	2150	5400
Tantalum	Ta	73	16.65	C		G	2996	5425
Tungsten	W	74	19.35	C	P	G	3410	5660
Rhenium	Re	75	21.04	C		G	3180	5627
Osmium	Os	76	22.6	C	P	SG	3045	5027
Iridium	Ir	77	22.4	C	P	S	2410	4527
Platinum	Pt	78	21.45	C	P	G	1772	3827
Gold	Au	79	19.32	C	D	G	1064	2807
Mercury	Hg	80	13.55	C	D	S	-39	357
Thallium	Tl	81	11.85	C	D	S	303	1457
Lead	Pb	82	11.35	C	D	SG	327	1740
Bismuth	Bi	83	9.75	C	D	G	271	1560
Polonium	Po	84	9.32	C		S	254	962
Astatine	At	85	7				302	337
Radon	Rn	86	9.73			CL	-71	-62
Francium	Fr	87	1.87				27	677
Radium	Ra	88	5.5			S	700	1737
Actinium	Ac	89	10.07			S	1050	3200
Thorium	Th	90	11.72	C		S	1750	4790
Protactinium	Pa	91	15.4	C		S	1568	

Uranium	U	92	18.95	C	S	1132	3818
Neptunium	Np	93	20.2	C'	S	640	3902
Plutonium	Pu	94	19.84	C'	S	640	3235
Americium	Am	95	13.67		S	994	2607
Curium	Cm	96	13.5		S	1340	
Berkelium	Bk	97	14.78			985	
Californium	Cf	98	15.1			900	